STIGA®

Summer 2011

STIGA®

Our task is to give you the best lawn in the neighbourhood. But also time to enjoy it!

Therefore, we continue to combine innovative technology with excellent engineering and modern Nordic design, with the aim to reduce the burden on people and the environment.

4 OUR RANGE

MOWERS

6 That's Multiclip

Front mowers

10 Park Pro
12 Park
16 Villa
20 Primo
22 Combi deck
24 Implements

Lawn tractors

30 Estate
34 Garden

Robot mower

37 Autocut

Lawn mowers

40 Multiclip
42 Turbo

HAND HELDS

48 Brush cutters & Grass trimmers
49 Electric grass trimmers
50 Hedge trimmers
52 Chain saws

RECYCLING

56 Shredders & Scarifier
57 Blowers
58 Rotary cultivators & Sickle bar mower

60 Technical specifications

OUR RANGE

LAWN MOWERS

Best results with minimal effort is Stiga's motto. Therefore, all machines are equipped with Multiclip, some in combination with other cutting systems. Genuine articulated steering and front mounted deck together with 4WD, give excellent manoeuvrability. Low noise level and anti-vibration handle are typical professional properties of our mowers. Excellent performance, low fuel consumption and low emissions are standard on all our machines.

Park Pro *page* **10**

All-terrain, strong and versatile all-year-round machine. With four wheel drive, power assisted steering, electric cutting height adjustment and a range of other professional properties.

Park *page* **12**

The garden's handyman. Masters everything from grass and leaves to sand, gravel and snow. Suitable for large areas. Genuine articulated steering and up to 110 cm cutting width with front mounted deck. Many implements, easy to change.

Villa *page* **16**

A smaller Front mower model, for medium sized gardens. Cuts grass, sweeps the street, clears snow. Flexible and easy to operate. Outstanding cutting results. Excellent visibility. Up to 105 cm working width.

Primo *page* **20**

Our smallest Front mower. Versatile and comfortable with 78 cm cutting width. Same possibility to switch between Multiclip and rear ejection as on the larger machines.

HAND HELDS

See how easy it is to use! Start and note how efficiently the job gets done. Our hand held range spans from grass trimmers and brush cutters to hedge trimmers and chain saws. Easy to start – flexible to use – with minimal maintenance.

Petrol saws ***Electric saws***

Brush cutters & Grass trimmers *page* **48**

Electric grass trimmers *page* **49**

Hedge trimmers *page* **50**

Chain saws *page* **52**

PERFECT RESULTS

FULL CONTROL

ENVIRONMENT

TOP PERFORMANCE

Estate page 30

Efficient and effective lawn tractor tractor for those who prioritise collection. Unbeatable when it comes to technology, capacity and cutting quality. For all-year-round use thanks to the sweeper and snow blade (option). Excellent on large areas. Choose between 4WD, hydrostatic and manual transmission.

Garden page 34

Smart and versatile lawn tractor for home use. Instead of having to walk and mow. Integrated collection, easy to empty. Unites Multiclip and rear ejection for best cutting results. Up to 72 cm cutting width.

Multiclip page 40

The modern way of caring for your lawn. Cuts and fertilises in one go, quickly and efficiently, with Stiga's Multiclip cutting method. Extremely easy and versatile as collection is not necessary. Quieter than most. Always with adjustable and usually with anti-vibration handle.

Turbo page 42

The professional's choice; for those who want to collect the clippings. Many cutting method options in the same machine. Robust design. Powerful, energy efficient engines. Light and versatile to use.

RECYCLING

Stiga's contribution to the ecocycle. Clear up in the garden. Transform branches and leaves into bark and mulch. Provide the lawn with nourishment. Preserve diversity. At home!

Shredders page 56

Scarifier page 56

Blowers page 57

Rotary cultivators page 58

The secret behind Stiga's excellent cutting result is called

MULT

The blades of grass are cut so small that they easily fall among the grass roots. There they quickly mulch down and are transformed into the most natural organic nutrients a lawn can get! The result is a green and attractive lawn.

Save time and money

You don't need to collect and transport or compost any grass clippings. And the job gets done faster.

Manage leaves as well

With Multiclip the same thing can be done in the Autumn when the leaves fall – magic them away with a few cuts.

Less watering

The finely cut clippings form a thin, moisture rich layer on the lawn. This supplies the grass roots with moisture and more time can pass between waterings.

TICLIP

Less fuel and emissions

Fuel consumption and emissions are reduced – good for the wallet and planet.

Noise damping

Thanks to the specially designed blades and the enclosed cover, the noise is directed towards the ground, which produces a lower and more comfortable noise level than normal collection machines.

Front mowers

The clever, professional way of cutting grass. With the front mounted deck, you can always see what you are doing. Fast and convenient in that you fertilise the lawn and avoid waste. With an implements program that makes the season long.

Advantage front mounted

GENUINE ARTICULATED STEERING

Characteristics of the Park models. The rear wheels follow in the tracks of the front wheels precisely. This means you can cut close to bushes and hedges, fences and facades without hitting the rear section. Significantly less work!

UNOBSTRUCTED VIEW

You sit high up, above the point where the machine articulates, with the deck in front of you. Comfortable with excellent visibility and good working view.

IMPLEMENTS FOR ALL-YEAR-ROUND WORK

A wide range of implements makes the Front mower a flexible all-year-round machine. Once the grass has been cut, it collects leaves, sweeps the street, clears snow or whatever you want (see page 24).

ALL-TERRAIN WITH 4WD

Four wheel drive gives the best grip in all positions. You can climb wet hills unhindered, stop and start again, without slipping and causing damage to the turf. Snow is no problem.

EASY TO USE

Sit comfortably. Push the starter button or turn the key. Activate the cutting deck. Accelerate and steer. Could it be any easier?

EASY TO MAINTAIN

First, you have the normal product warranty. And then we guarantee that original parts are available for seven to ten years. When the dealer you bought the machine from services it, only original parts will be used - that's what makes it so safe and secure to own a Stiga.

More about the Front mower concept

See the entire product program incl. implements and technical specifications on our website.

www.stiga.com

PARK

Adjustable steering wheel
With power assisted steering.

Lift for service position
The deck can be raised to 90 degrees.

Hydraulic power assisted steering

Hydraulic tool lift
Four positions: Lift, neutral position, depress or suspended working position.

Genuine articulated steering
Thanks to genuine articulated steering the rear of the vehicle follows in the front wheels' tracks. Look ahead, the rear of the vehicle will not bump into anything.

Transparent tank
You can easily see how much fuel is left.

Lift for washing position
Approx. 30 degrees, without removing the belt.

Quick connection

Powerful engines
Provide quieter operation and longer service life.

Pivot wheels
Make the machine easier to steer.

Combi deck
Shift between Multiclip and rear discharge without having to use tools.

Hydrostatic drive
Increases the speed steplessly.

Hydraulic transmission
Both front and rear axles.

STIGA PARK PRO

MOST SUITABLE FOR:

All-terrain, strong and versatile all-year-round machine. With four wheel drive, power assisted steering, electric cutting height adjustment and a range of other professional properties as standard.

ONE MACHINE – MANY FUNCTIONS

Park has more areas of use than there are seasons. It cuts grass, rakes leaves, carries tools, ploughs, sweeps, grits and fertilises, rakes gravel paths and clears weeds – or whatever you want.

EXCELLENT TRACTION

With 4WD you can climb and descend wet hills without slipping and causing damage to the turf. Articulated steering saves you from having to manoeuvre backwards and forwards continuously. Hydrostatic transmission, cruise control (option) and power assisted steering are other finesses.

FLEXIBLE AND EASY TO USE

With hydraulic implement lift, hydraulic power assisted steering and electric cutting height adjustment you can work long shifts. Ergonomic comfortable seat with armrest and intuitive instrument panel gives unsurpassed driver comfort.

The Combi deck can be raised 30 degrees for cleaning without having to remove the belt (deck for Park 4WD).

RAC quick connection enables you to change implements in one simple operation, without the use of any tools. All you need to do is hook on and off. RAC is standard on all Park models and available for all Villa models.

PARK

The secret of Park is genuine articulated steering. You sit high up, above the point where the machine articulates and can see the cutting deck, or brush, plough or snow thrower, in front of you. The rear wheels follow the front wheel tracks precisely, which makes it easy to drive between bushes and trees. You have full control in all situations.
Powerful engine in combination with 4WD makes it easy to tackle slopes even when it is cold or wet outside. The front mounted Combi deck with up to 125 cm cutting width whizzes through the work. Comfortable seat, clear instrumentation and wide range of implements are other professional properties, which make Park an ergonomic and nice place to work.

Park Pro 25 4WD

Park Plus

Park Compact 16 4WD

	Park Pro 25 4WD	***Park Pro 20 4WD***	***Park Pro 16 4WD***	***Park Pro Svan 4WD***
Engine:	*Honda GXV 660 2 cylinders*	*Briggs & Stratton Vanguard 20 2 cylinders*	*Briggs & Stratton Vanguard 16 2 cylinders*	*Honda GXV 530 2 cylinders*
Transmission:	*Hydrostatic*	*Hydrostatic*	*Hydrostatic*	*Hydrostatic*
Steering:	*Genuine articulated steering Hydraulic power assisted steering*	*Genuine articulated steering Hydraulic power assisted steering*	*Genuine articulated steering Hydraulic power assisted steering*	*Genuine articulated steering Hydraulic power assisted steering*
Implement lift:	*Hydraulic*	*Hydraulic*	*Manual*	*Hydraulic*
Cutting width:	*95-125 cm, electric cutting height adjustment*	*95-125 cm, electric cutting height adjustment*	*95-125 cm, electric cutting height adjustment*	*95-125 cm, electric cutting height adjustment*

	Park Prestige 4WD	***Park Royal 4WD***	***Park Ranger Svan***	***Park Plus***
Engine:	*Briggs & Stratton Intek 4185*	*Honda GCV 530 2 cylinders*	*Honda GCV 530 2 cylinders*	*Briggs & Stratton Intek 4185*
Transmission:	*Hydrostatic*	*Hydrostatic*	*Hydrostatic*	*Hydrostatic*
Steering:	*Genuine articulated steering Mechanical power assisted steering*	*Genuine articulated steering Hydraulic power assisted steering*	*Genuine articulated steering Hydraulic power assisted steering*	*Genuine articulated steering Mechanical power assisted steering*
Implement lift:	*Manual*	*Manual*	*Manual*	*Manual*
Cutting width:	*95-110 cm, electric cutting height adjustment*	*95-110 cm, electric cutting height adjustment*	*95-110 cm, electric cutting height adjustment*	*95-110 cm, electric cutting height adjustment*

	Park Compact 16 4WD	***Park Compact 16***	***Park Compact 14***
Engine:	*Briggs & Stratton PowerBuilt 4155 AVS*	*Briggs & Stratton PowerBuilt 4155 AVS*	*Briggs & Stratton PowerBuilt 3130 AVS*
Transmission:	*Hydrostatic*	*Hydrostatic*	*Hydrostatic*
Steering:	*Genuine articulated steering Mechanical power assisted steering*	*Genuine articulated steering*	*Genuine articulated steering*
Implement lift:	*Manual*	*Manual*	*Manual*
Cutting width:	*95-105 cm*	*95-105 cm*	*95 cm*

Meets the criteria of the official Nordic Svan eco-label, which is considered one of the world's toughest environmental labels.

PARK MIRAGE

Another Stiga innovation. The electrically powered Front mower raises hope for our environment. Unique among front mowers in that it does not emit any carbon dioxide. Manages up to 3500 m^2 of lawn on one charge with perfect results. Soon to be introduced on the European market.

At last! A battery powered front mower.

Intuitive dashboard communicates with the driver.

75 minutes of work in one charge.

SILENT

When you press the starter button, you can hardly hear the engine. When you first activate the cutting deck, you can make out a whirring sound. Compared with an ordinary mower the difference is significant.

IMMEDIATE RESPONSE

Yet it is designed for hard work with a powerful engine, which can even tackle muddy grass slopes. Well suited for large work areas and rough terrain, The powerful cutting deck has a 5000 W brushless motor which leaves a perfect cutting result under all conditions. The transmission has an integrated electric motor of 1200 W and is equipped with an automatic parking brake.

UNBEATABLE ENVIRONMENTALLY

No carbon dioxide emissions. Negligible ecological footprint. Minimal load on people and environment. One charge corresponds to up to 75 minutes work. Each time you slow down the machine or stop the cutting deck energy is charged back to the batteries in order to extend the capacity. The charging unit is integrated in the machine.

	Park Mirage 5.0
Power source/output:	*Battery, 48 V*
Transmission:	*Electric*
Steering:	*Genuine articulated steering*
Implement lift:	*Manual*
Cutting width:	*95 cm, electric cutting height adjustment*

VILLA

Flexible all-round machine that sweeps streets, collects leaves and clears snow after cutting the grass. Uniting the professional front mounted ride-on's excellent cutting characteristics with the small ride-on's versatility. Choose between electric or mechanical control.


Adjustable steering wheel with steering ball
Easily adjustable for optimum ergonomics.
Tilting seat
Easy to open the bonnet
Service-friendly.
Service position
The deck can be raised to 90 degrees.
Washing position
Can be lifted approx. 30 degrees, without removing the belt.
VILLA SILENT
STIGA COMBI
Front wheel drive
Easy to steer.
Optional quick connection
To quickly switch between different implements.
Transparent tank
You can easily see how much fuel is left.
Hydrostatic drive
Increases the speed steplessly.

STIGA VILLA

MOST SUITABLE FOR:

Front mower model smaller, for medium sized gardens. Cuts grass, sweeps the street, clears snow. Flexible and easy to operate. Outstanding cutting results. Good view. Up to 105 cm working width.

COMFORTABLE AND FLEXIBLE

With foot operated implement lift as standard and manual or stepless (hydrostatic) transmission. Adjustable steering wheel with easy-to-grip steering ball, ergonomically positioned controls and adjustable comfortable seat with high back make for great operator comfort.

OUTSTANDING CUTTING RESULTS

Switch between Multiclip and rear discharge and give yourself an attractive lawn with minimum effort. Two blade Combi deck with up to 105 cm working width.

GOOD VIEW

A high seating position gives you full control over the front mounted cutting deck, which can reach under bushes and get close to house facades and fences.

Service and washing friendly design.
It is rarely use or age that breaks a Front mower. More usually corrosion and poor maintenance. To gain access to rinse clean, lift the deck 30° to the cleaning position. Regular cleaning prevents the deterioration of the mower's function.

Implements for all-year-round work

Thanks to the unique quick connection, RAC, it is easy to change tools on Villa. Here you can see some of the implements that enable you to use your Front mower all-year-round.

Read more on page 24.

Grass and leaf collector ***Combi cart*** ***Pro cart*** ***Fertiliser spreader*** ***Sweeper*** ***Roller*** ***Snow blade*** ***Snow chains***

VILLA

Hydrostatic transmission for smoother speed control.

Easy steering thanks to the steering knob.

Combi deck with 85-105 cm cutting width.

Villa 14 HST

Villa 12

	Villa Silent	***Villa 14 HST***	***Villa 12 HST***	***Villa 12***
Engine:	*Honda GXV 390*	*Briggs & Stratton PowerBuilt 3130 AVS*	*Briggs & Stratton PowerBuilt 3115 AVS*	*Briggs & Stratton PowerBuilt 3115 AVS*
Transmission:	*Hydrostatic*	*Hydrostatic*	*Hydrostatic*	*Manual, 5F+1R*
Steering:	*Rear wheel steering*	*Rear wheel steering*	*Rear wheel steering*	*Rear wheel steering*
Implement lift:	*Manual*	*Manual*	*Manual*	*Manual*
Cutting width:	*85-105 cm, Electric cutting height adjustment*	*85-95 cm*	*85 cm*	*85 cm*

PRIMO

Primo represents a new generation of ride-ons for design conscious home owners who love their garden but have limited spare time. A cutting width of 78 cm makes it the smallest of the Front mower family. As versatile and easy to use as the larger machines but in a compact format, and thus even easier to store.

The aim was to create a small and versatile Front mower with excellent driving properties. Materials choice and design, comfort and accessibility, traction and driving pleasure – the thinking is the same as in a modern car.

	Primo
Engine:	*STIGA WM 7250*
Transmission:	*Manual, 3F+1R*
Steering:	*Rear wheel steering*
Implement lift:	*Manual*
Cutting width:	*78 cm*

COMBI DECK

Do as the pros do – choose the best cutting method for the situation.

Stiga's Combi deck gives you two mowing techniques in one. Use Multiclip for fine cutting. If the grass has grown quite long, rear discharge may be preferable. The Combi deck is available in working widths from 85 to 125 cm for Villa and Park, aerodynamically shaped with two or three blades for the best Multiclip effect.

Lifting handle facilitates raising into cleaning position.
Reinforced protective frame.
Pivot wheels with ball bearings with robust plastic wear surfaces.
Reinforced bearing boxes.
Mow closer: The blades are near the chassis and give a minimal uncut area.
Aerodynamically shaped cover with three unsynchronised blades for the best cutting results.
Replaceable wear plates.
The deck can be raised 30° for cleaning without having to remove the belt (deck for Park 4WD).
Guide rails to distribute the cut grass evenly.
Combi-plug for tool free shifting between Multiclip and rear discharge.
Freely rotating blades.
Rubber strip to guide the grass during rear discharge function.

Service and washing friendly design. The Combi deck can be raised 30° for cleaning without removing the belt.

Front mounted cutting deck goes anywhere. Note the reinforced frame that protects against knocks and also acts as a lifting handle.

Good view. Genuine articulated steering and front mounted tools give maximum manoeuvrability in changing conditions, all-year-round.

125 Combi Pro

A wide and powerful deck for Park Pro. Cutting width 125 cm. Three freely rotating blades. Suitable for cutting long grass quickly with rear discharge. Switch between Multiclip and rear discharge without having to use tools. Pivot wheels make it easier to turn. Robust manual or infinitely variable electric cutting height adjustment.

110 Combi Pro

Cutting deck in Pro version for Park and Park Pro. Cutting width 110 cm. Suitable for those wanting to cut long grass quickly with rear discharge. Switch between Multiclip and rear discharge without having to use tools. Pivot wheels make it easier to turn. Robust manual or infinitely variable electric cutting height adjustment.

100 Combi 3

New! Semi-professional Combi deck with three unsynchronised blades for the best cutting results. Same technology used as for our professional deck, but slightly smaller with a 100 cm cutting width. The cutting height can be adjusted manually or electrically depending on the machine model. Suitable for selected models of Park.

105 Combi

Deck for Park and Villa. Cutting width 105 cm. Two synchronised blades with replaceable blade tips. Central cutting height adjustment electrically or manually controlled.

95 Combi

Deck for Park and Villa. Cutting width 95 cm. Two synchronised blades with replaceable blade tips. Manual or continuous electric cutting height adjustment.

85 Combi

Neat and smooth deck for Stiga Villa. Cutting width 85 cm. Two synchronised blades with replaceable blade tips. Manual cutting height adjustment.

IMPLEMENTS

The beauty of Stiga's Front mowers is that they never take a holiday – they can be used all-year-round. As a snow clearer, sand spreader, street sweeper or whatever you want! The implement program is one of the broadest ranges on the market. Thanks to the unique quick connection, RAC, it is possible to change tools in a minute. NOTE! Some tools also fit Estate lawn tractors.

Secure the accessory hook



Move the lever arm up using your foot



Lock the arm in the correct position



Secure the lock using a split pin

Enables you to change implements in one simple operation, without the use of any tools! Just click on and off. RAC is standard on all Park models and available for all Villa models.

Snow blade with up to 120 cm working width.

Park in action. Sweeper available for Villa and Estate as well.

New! Rails to hold garden tools, extra clothes, etc.

Grass and leaf collector

Towed, with a 8,5:1 wheel-to-brush rotation. 107 cm working width. Easy to empty from the driver's position. Heavy-duty bag stretcher. Also available with a 96 cm working width, and a wheel-to-brush rotation of 5:1.

Suitable for selected models of:

[X] ***Park*** [X] ***Villa*** [X] ***Estate***



Rake tool 100/130

For gravel paths. Choose between a 130 cm working width for neat patterns (for 10-20 mm stones) or the 100 cm one that is excellent for weeding (for 2-10 mm stones). Supplemented with rear implement lift.

Suitable for selected models of:

[X] ***Park*** [ ] ***Villa*** [ ] ***Estate***

Spring hoe

For truly effective weed control work. Pull up weeds from the roots, the depth can be easily adapted via three screw controls. Ideal for combining with a rear mounted rake. Working width 95 cm.

Suitable for selected models of:

[X] ***Park*** [ ] ***Villa*** [ ] ***Estate***

Sweeper

Front mounted with sideways adjustment to three positions. The wheel system allows the operator to find just the right amount of ground pressure for every task. Sweeps leaves, snow, gravel and last year's grass with a neat and clean result. 95 cm for Park, 85 cm for Villa and 110 cm for Estate. Dust protection available as an option.

Suitable for selected models of:

[X] ***Park*** [X] ***Villa*** [X] ***Estate***

Collecting sweeper

For removing leaves, gravel, dirt and rubbish from hard surfaces such as asphalt and concrete. 90 cm working width and 320 mm brush diameter, easy to fine adjust for best effect. Easy to empty with removable container. Side brush, that gets in close to walls and pavements, available as an accessory.

Suitable for selected models of:

[X] ***Park*** [ ] ***Villa*** [ ] ***Estate***

Flail mower / lawn rake

Operates at 3000 rpm, has a 92 cm working width and electric height adjustment. Also available with mechanical height adjustment. Cuts rough grass and weeds up to 100 cm tall. Scrub and overgrown areas are easily controlled by the flail mower. An optional lawn rake rotor is also available.

Suitable for selected models of:

[X] ***Park*** [ ] ***Villa*** [ ] ***Estate***

Edge cutter

To be mounted together with a cutting deck. Adjustable angle depth of cut.

Suitable for selected models of:

[X] **Park** [ ] **Villa** [ ] **Estate**

Roller

When ballasted with water, the roller will level out the ground and make the lawn perfectly flat. Light weight when storing.

Suitable for selected models of:

[X] **Park** [X] **Villa** [X] **Estate**

Fertiliser spreader

Towed with a 30 litre capacity, spreading diameter of 2.5-3 metres.

Suitable for selected models of:

[X] **Park** [X] **Villa** [X] **Estate**

Pro cart

Stable professional cart made of galvanised steel with Stiga Park wheel. Detachable cover at the rear and good tipping angle. Holds 240 L. Load capacity up to 200 kg.

Suitable for selected models of:

[X] **Park** [X] **Villa** [X] **Estate**

Combi cart

Multi-purpose cart which hitches to the tow bar and can also be used as a wheelbarrow, 180 litres capacity. Body is manufactured from polymer giving a low overall weight.

Suitable for selected models of:

[X] **Park** [X] **Villa** [X] **Estate**

Sand spreader

Perfect for gravel, sand or salt. Now with more outlets for a more even result. Rear-mounted, it is controlled electrically from the control panel. Working width 100 cm.

Suitable for selected models of:

[X] **Park** [ ] **Villa** [ ] **Estate**

Snow thrower (1-stage)

Now with improved torque. The auger collects and blows the snow out in one go. Adjustable trailer shoes. Perfect for pavements, hard paths and drives. Working width 90 cm.

Suitable for selected models of:

[X] **Park** [ ] **Villa** [X] **Estate**

Snow thrower (2-stage)

The auger collects the snow and blows it out via a fan housing to where you want to deposit it – up to 12 m away from the discharge chute. Electrically adjustable discharge chute to carry out safe and controlled work. Working width 90 cm.

Suitable for selected models of:

[X] **Park** [ ] **Villa** [ ] **Estate**

Snow blade

Controlled from the driving seat. The blade has skid shoes as well as an automatic control to prevent overloading. Scraper bars – rubber for brick, metal for asphalt – are available as optional extras. Working width 107 or 120 cm.

Suitable for selected models of:

[X] **Park** [X] **Villa** [X] **Estate**

Snow chains

With crossed, spiked links that provide grip, even on icy surfaces. Available in several sizes.

Suitable for selected models of:

[X] **Park** [X] **Villa** [X] **Estate**

Rails

Practical holder for useful objects such as tool boxes, extra containers, lunch boxes, items of clothing etc. Holds loads up to 10 kg. With mountings for broom, rake and other garden tools. Rubber straps included.

Suitable for selected models of:

[X] **Park** [ ] **Villa** [ ] **Estate**

Frame weights

Improve balance and provide ultimate traction to the mower, 2x17 kg for Park and 2x13.5 kg for Villa.

Suitable for selected models of:

[X] **Park** [X] **Villa** [ ] **Estate**

	Park Pro 25 4WD	Park Pro 20 4WD	Park Pro 16 4WD	Park Pro Svan 4WD	Park Prestige 4WD	Park Royal 4WD	Park Ranger Svan	Park Plus	Park Compact 16 4WD	Park Compact 16	Park Compact 14	Park Mirage		Villa Silent	Villa 14 HST	Villa 12 HST	Villa 12		Estate Grand Overland Pro 25 4WD 24E	Estate Grand Overland 24 4WD	Estate Grand Overland 24E	Estate Overland 22 4WD	Estate Grand Royal 22	Estate Royal 19	Estate Royal Pro 17	Estate Senator Pro HST 17	Estate Senator HST 17	Estate Senator 14	Estate Grand Tornado HST 19	Estate Grand Tornado Pro HST 17	Estate Grand Tornado 17	Estate Tornado HST 17	Estate Tornado 14	Estate Tornado Pro HST 13		Garden Combi HST 14	Garden Combi HST 13 H	Garden Compact EV H
2-stage snow thrower Park*	X	X	X	X																																	
1-stage snow thrower Park	X	X	X	X	X	X	X	X																													
Snow thrower Estate**																								X	X												
Sweeper Park	X	X	X	X	X	X	X	X	X	X																											
Sweeper Villa														X	X																						
Sweeper Estate**																								X	X												
Collecting sweeper	X	X	X	X	X	X																															
Side brush for collecting sweeper	X	X	X	X	X	X																															
Dust guard sweeper Park, Estate	X	X	X	X	X	X	X	X	X	X														X	X												
Rear implement lift, electric	X	X	X	X																																	
Rear implement lift	X	X	X	X	X	X	X	X																													
Rails	X	X	X	X																																	
Rake tool 100 cm	X	X	X	X	X	X	X	X																													
Rake tool 130 cm	X	X	X	X	X	X	X	X																													
Grass and leaf collector 38"	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X	X												X	X	X	X	X	X				
Grass and leaf collector 42"	X	X	X	X	X	X	X	X	X	X	X	X																	X	X	X	X	X	X				
Snow blade Villa 107 cm														X	X	X	X																				
Snow blade Park 120 cm	X	X	X	X	X	X	X	X	X	X	X																										
Snow blade, Estate																							X	X	X	X	X	X									
Snow chain 18"																							X	X	X	X	X	X	X	X	X	X	X	X			
Snow chain 17"	X	X	X	X																																	
Snow chain 16" wide					X	X	X	X	X	X																											
Snow chain 16"											X			X	X	X	X																				
Sand spreader Park	X	X	X	X																																	
Protective cover	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Combi cart	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X			
Pro cart, galvanised	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X			
Spring hoe	X	X	X	X	X	X	X	X	X	X	X																										
Flail mower	X	X	X	X	X	X	X	X																													
Lawn rake	X	X	X	X	X	X	X	X																													
Fertiliser spreader	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X			
Edge cutter	X	X	X	X	X	X	X	X	X	X	X																										
Collection kit Garden																																				X	X	
Collection kit Estate																			X	X	X	X	X	X	X	X	X											
Deflector Estate																			X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		X	X	
Tow bar Estate																			X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X				
Roller 85C + 95C + 105C	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X	X																				
Roller	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X			
Cruise control kit	X	X	X	X																																	
Frame weight 2 X 17 kg Park					X	X	X	X	X	X	X	X																									
Frame weight 2 X 13.5 kg Villa														X	X	X	X																				
Main switch	X	X	X	X																																	
Rubber scraper blade 107 cm														X	X	X	X																				
Rubber scraper blade 120 cm	X	X	X	X	X	X	X	X	X	X	X												X	X	X	X	X	X									
Metal scraper blade 120 cm	X	X	X	X	X	X	X	X	X	X	X												X	X	X	X	X	X									
RAC quick connection, complete	X	X	X	X	X	X	X	X	X	X	X			X	X	X	X																				
Wheel axle attachment	X	X	X	X	X	X	X	X	X	X	X			X	X	X	X																				
PTO kit Estate																							X	X	X												

* 2-stage Snow thrower will always be fitted on year Park model 2007/08 and later.

** PTO kit required.

Lawn tractors

A lot of power under the bonnet. Many areas of use. And unbeatable collecting ability. Our lawn tractors are equipped with double cutting systems for the best cutting results. Perfect for those with large areas to work.

The advantages of a lawn tractor

UNBEATABLE COLLECTING CAPACITY

Our lawn tractors with integrated collector provide unbeatable collecting capacity up to 360 litres. Emptying is performed easily from the driving seat.

ONE MACHINE – MANY FUNCTIONS

Multiclip works just as well on autumn leaves as on grass. Use the collector to prevent having to rake. Attach the snow blade and plough the drive during the winter. Think how lovely it could be not to have to clear it by hand!

HIGH CAPACITY

The lawn tractors are recommended for large areas. With up to 122 cm cutting width and engines designed for hard work, the job flies by. Conveniences such as hydrostatic transmission and 4WD make them even more versatile.

UP TO FOUR CUTTING SYSTEMS IN ONE

Collection. Multiclip. Rear discharge. Side discharge. By choosing one or another you always get a great cutting result, even if the grass appears to be too long.

ALL-TERRAIN WITH 4WD

One of the world's first four wheel drive lawn tractor is called Estate Overland and is made by Stiga. It gives you perfect grip on sloping terrain – even in icy and slippery conditions. Now with new reinforced cutting deck, and new steering system for even more driving comfort.

EASY TO USE

Sit comfortably. Start and steer. Engage the cutting deck. Drive to the compost heap and empty – without having to leave the driver's seat. With Royal, Grand Royal and Overland, enjoy the added comfort of a cruise control.

More about our lawn tractors

See the entire product program incl. implements and technical specifications on our website.

www.stiga.com

ESTATE

Stiga Estate is our first lawn tractor with 4WD. We are still alone in offering four cutting systems in one. The new steering system assures extreme precise manoeuvrability of the wheels and an outstanding driving comfort. The collecting capacity of 360 litres cannot be beaten either. For safety, we have ensured that you can empty the collector directly from the driver's seat. The idea is to make it as easy as possible.

STIGA ESTATE

MOST SUITABLE FOR:

Efficient and effective lawn tractor for those who prioritise collection.
Unbeatable when it comes to technology, capacity and cutting quality.
For all-year-round use thanks to the sweeper and snow blade (option).
Excellent on large areas. Choose between 4WD, hydrostatic and manual transmission.

Easy to empty straight from driver's seat.

Estate Grand Overland Pro 25 4WD E

Estate Grand Tornado Pro HST 17

	Estate Grand Overland Pro 25 4WD E	***Estate Royal Pro 17***	***Estate Grand Tornado Pro HST 17***	***Estate Tornado Pro HST 13***	***Estate Senator Pro HST 17***
Engine:	*Honda GXV 660 2 cylinders*	*Honda GCV 530 2 cylinders*	*Honda GCV 530 2 cylinders*	*Honda GXV 390 1 cylinder*	*Honda GCV 530 2 cylinders*
Transmission:	*Hydrostatic 4WD*	*Hydrostatic*	*Hydrostatic*	*Hydrostatic*	*Hydrostatic*
Cutting height adjustment:	*Manual with height memory*	*Manual*	*Manual*	*Manual*	*Manual*
Cutting width:	*122 cm/ rear discharge chute*	*102 cm/ rear discharge chute*	*108 cm/ side discharge chute*	*98 cm/ side discharge chute*	*92 cm/ rear discharge chute*
Integrated collector:	*360 litres/electric grass collector emptying*	*320 litres*			*260 litres*

ESTATE

Easy to clean.

Clear and durable instrument panel.

Practical storage.

Estate Grand Overland 24E

Estate Grand Tornado HST 19

	Estate Grand Overland 24 4WD	***Estate Grand Overland 24 E***	***Estate Overland 22 4WD***	***Estate Grand Royal 22***	***Estate Royal 19***	***Estate Grand Tornado HST 19***
Engine:	*Briggs & Stratton Intek series 8240 V-Twin*	*Briggs & Stratton Intek series 8240 V-Twin*	*Briggs & Stratton Intek series 7220 V-Twin*	*Briggs & Stratton Intek series 7220 V-Twin*	*Briggs & Stratton Intek series 4185 AVS 1 cylinder*	*Briggs & Stratton Power Built 4185 AVS 1 cylinder*
Transmission:	*Hydrostatic 4WD*	*Hydrostatic 2WD*	*Hydrostatic 4WD*	*Hydrostatic*	*Hydrostatic*	*Hydrostatic*
Cutting height adjustment:	*Manual with height memory*	*Manual with height memory*	*Manual with height memory*	*Manual*	*Manual*	*Manual*
Cutting width:	*122 cm/rear discharge chute*	*122 cm/rear discharge chute*	*102 cm/rear discharge chute*	*122 cm/rear discharge chute*	*102 cm/rear discharge chute*	*108 cm/side discharge chute*
Integrated collector:	*360 litres*	*360 litres/electric grass collector emptying*	*360 litres*	*320 litres*	*320 litres*	

	Estate Grand Tornado 17	***Estate Tornado HST 17***	***Estate Tornado 14***	***Estate Senator HST 17***	***Estate Senator 14***
Engine:	*Briggs & Stratton Power Built 4165 AVS 1 cylinder*	*Briggs & Stratton Power Built 4165 AVS 1 cylinder*	*Briggs & Stratton Power Built 3130 AVS 1 cylinder*	*Briggs & Stratton Power Built 4165 AVS 1 cylinder*	*Briggs & Stratton Power Built 3130 AVS 1 cylinder*
Transmission:	*Manual 5F+1R*	*Hydrostatic*	*Manual 5F+1R*	*Hydrostatic*	*Manual, 5F+1R*
Cutting height adjustment:	*Manual*	*Manual*	*Manual*	*Manual*	*Manual*
Cutting width:	*108 cm/side discharge chute*	*98 cm/side discharge chute*	*98 cm/side discharge chute*	*92 cm/rear discharge chute*	*92 cm/rear discharge chute*
Integrated collector:				*260 litres*	*260 litres*

GARDEN

The smaller lawn tractor model for those who love their garden but have limited space. Excellent design, great collecting capacity and integrated mulching function just as on the larger lawn tractors. With hydrostatic or variable transmission for smoother operation.

Easy to operate. Choose between hydrostatic or variable transmissions.

Integrated collection 140-170 litres. Easy to empty from the driver's seat.

Garden Combi HST 14

Garden Compact Pro EV

	Garden Combi Pro HST 13	***Garden Combi HST 14***	***Garden Compact Pro EV***
Engine:	*Honda GXV 390* *1 cylinder*	*Briggs & Stratton* *Power Built series 3130 AVS* *1 cylinder*	*Honda GCV 190 E* *Electric start*
Transmission:	*Hydrostatic*	*Hydrostatic*	*Variator*
Cutting height adjustment:	*Manual*	*Manual*	*Manual*
Cutting width:	*72 cm/rear discharge chute*	*72 cm/rear discharge chute*	*63 cm/rear discharge chute*
Integrated collector:	*170 litres*	*170 litres*	*140 litres*

ESTATE MIRAGE

The time for compromises has passed! Now you can get a lawn tractor with superb collection ability and great cutting properties, as strong as the best in class, but so quiet that the neighbours barely notice. The question is whether there is any collector tractor with an electric drive that beats Estate Mirage.

Environmentally-friendly. Estate Mirage is unique among lawn tractors in that it does not emit any carbon dioxide. No fuel. No oil. No filters that need to be cleaned.

Easy-to-view instrument panel with user-friendly LCD-display.

Automatic electromagnetic parking brake.

	Estate Mirage 5.0
Power source/output:	*Battery, 48 V*
Transmission:	*Electric*
Integrated collector:	*260 litres*
Cutting height adjustment:	*Manual*
Cutting width:	*92 cm*

AUTOCUT

What we have all been dreaming about: that someone else does the hardwork! We call that someone Autocut, because it drives itself, all day long, come rain or sunshine. Even the fertiliser element is eliminated as the cuttings are finely cut and fall into the lawn as a nutrient. Suitable for lawns up to 2000 m². Never has it been possible to get such a nice lawn with so little effort.

Uniquely designed charging station for best cutting results. Automatic cutting time regulator.

Easy-to-grip wheel.

Unique electric cutting height adjustment.

	Autocut 5.0
Power source:	*Battery Lithium-ion*
Dimensions:	*740 x 525 x 330 mm*
Cutting width:	*28 cm*
Cutting height:	*20-65 mm, electrically adjustable*
Weight:	*11.9 kg*

Lawn mowers

The modern way of cutting your lawn. Based on the Multiclip principle, which means that you can mow and fertilise at the same time. You don't need to rake and remove waste. At the same time you put a stop to the progress of moss. The result is a dense and beautiful lawn with minimal effort.

Six reasons to choose Stiga

EASY HANDLING

With Multiclip you only need to go over the lawn once. The cuttings turn into mulch. The same thing can be done with leaves in the autumn – magic them away with a few clippings.

LESS WORK

With that you avoid collection and disposal of grass clippings, you get the job done in about 70% of the time. The finely cut clippings form a thin, moisture rich layer in the lawn and supply the grass roots with moisture. This means more time can pass between waterings.

BETTER RESULT

The blades of grass are finely cut and sink down among the grass roots. There they quickly mulch down and are transformed into the most natural organic nutrients a lawn can get.

BETTER FOR THE ENVIRONMENT

Fuel consumption and emissions are reduced by about 30% – good for the wallet and planet.

NOISE DAMPING

Thanks to the specially designed blades and the enclosed cover, the noise is directed towards the ground, which produces a lower and more comfortable noise level.

UP TO FOUR CUTTING TECHNIQUES IN COMBINATION

Multiclip technology is included as standard on all our lawn mowers. The Turbo models also have collectors, plus rear and/or side ejection, which can be good for long grass.

Why are some lawns greener than others?

See the entire product program incl. technical specifications on our website.

www.stiga.com

MULTICLIP

Robust. Solid. Efficient. Does just the one job – but does it really well. With an aluminium or steel chassis that withstands knocks and rust and specially designed blades which produce a more comfortable noise level. Central cutting height adjustment, Ready start and ergonomic handle come as standard. The Pro-models have new, softer wheels for better grip and some models are equipped with our anti-vibration system AVS, which helps protect the body during prolonged use.

Handle with height and lateral adjustment. Great when you want to get under hedges and bushes or close to facades and fences.

Quick and easy adjustment of the cutting height. Raise and lower the entire cutting height with only one grip.

Good ergonomics. Anti-vibration handle for optimum comfort. Safety grip means that the blades automatically stop if the user loses control.

Multiclip Pro 50 S Svan

Multiclip 50 SE Rental B

Multiclip 50 S H

	Multiclip Pro 53 S Svan	***Multiclip Pro 53 4S Svan***	***Multiclip Pro 50 Svan***	***Multiclip Pro 50 S Svan***	***Multiclip Pro 50 4S Inox Svan***
Engine:	*Honda GCV 160 OHC Autochoke*	*Honda GCV 190 OHC Autochoke*	*Honda GCV 160 OHC Autochoke*	*Honda GCV 160 OHC Autochoke*	*Honda GCV 160 OHC Autochoke*
Self-propelled:	*Front wheel drive*	*Front wheel drive, 4 speed*	*Push*	*Front wheel drive*	*Front wheel drive, 4 speed*
Anti-vibration:	*Yes*	*Yes*	*Yes*	*Yes*	*Yes*
Chassis:	*Aluminium*	*Aluminium*	*Galvanised steel*	*Galvanised steel*	*Stainless steel*
Cutting width:	*51 cm*	*51 cm*	*48 cm*	*48 cm*	*48 cm*
Cutting height adjustment:	*5 pos. 30-65 mm*	*5 pos. 30-65 mm*	*5 pos. 31-75 mm*	*5 pos. 31-75 mm*	*5 pos. 31-75 mm*
Weight:	*35.5 kg*	*37.7 kg*	*33.2 kg*	*35.2 kg*	*34.8 kg*

	Multiclip 53 S Rental B	***Multiclip 50 SE Rental B***	***Multiclip 50 S Rental B***	***Multiclip 50 Rental B***	***Multiclip 50 S Special B***
Engine:	*Briggs & Stratton 750 series DOV*	*Briggs & Stratton 675-series XVS Ready Start (Electric start)*	*Briggs & Stratton 625-series XVS*	*Briggs & Stratton 625-series XVS*	*Briggs & Stratton 675 series XVS Ready Start*
Self-propelled:	*Front wheel drive*	*Front wheel drive*	*Front wheel drive*	*Push*	*Front wheel drive*
Anti-vibration:	*-*	*-*	*Yes*	*Yes*	*-*
Chassis:	*Aluminium*	*Galvanised steel*	*Galvanised steel*	*Galvanised steel*	*Galvanised steel*
Cutting width:	*51 cm*	*48 cm*	*48 cm*	*48 cm*	*48 cm*
Cutting height adjustment:	*5 pos. 30-65 mm*	*5 pos. 31-75 mm*	*5 pos. 31-75 mm*	*5 pos. 31-75 mm*	*5 pos. 31-75 mm*
Weight:	*37 kg*	*37.3 kg*	*36.5 kg*	*33.7 kg*	*38.7 kg*

	Multiclip 50 S H
Engine:	*Honda GCV 135 OHC*
Self-propelled:	*Front wheel drive*
Anti-vibration:	*-*
Chassis:	*Galvanised steel*
Cutting width:	*48 cm*
Cutting height adjustment:	*5 pos. 31-75 mm*
Weight:	*34.7 kg*

Meets the criteria of the official Nordic Svan eco-label, which is considered one of the world's toughest environmental labels.

TURBO

Turbo is the best choice if you want to “vacuum” the lawn of cuttings and leaves occasionally. Designed for maximum efficiency and comfort in the most varied conditions. Stiga’s cutting technology Multiclip in combination with rear discharge and collection gives the best possible mowing result. Available in many variants of different sizes. Best in class is the Turbo Excel with four cutting systems and the market's largest capacity collector. Note features such as anti-vibration handlebar (AVS), which makes the job easy on the body, and Blade Brake Clutch (BBC), which allows you to stop the blades with the engine running, for example, to cross gravel paths.

You can collect both grass and leaves.

One simple hand control is used to select which cutting method is best for your lawn.

Six different cutting heights at the push of a button.

Turbo Excel 55 S H

Turbo Excel 50 S B

	Turbo Excel 55 S H AVS	***Turbo Excel 55 S B***	***Turbo Excel 50 S H AVS***	***Turbo Excel 50 SE B***	***Turbo Excel 50 S B***
Engine:	*Honda GCV 190 OHC Autochoke*	*Briggs & Stratton 750 series DOV*	*Honda GCV 160 OHC Autochoke*	*Briggs & Stratton 675 series XVS Ready Start (Electric start)*	*Briggs & Stratton 675 series XVS Ready Start*
Self-propelled:	*Rear wheel drive*	*Rear wheel drive*	*Rear wheel drive*	*Rear wheel drive*	*Rear wheel drive*
Anti-vibration:	*Yes*	*-*	*Yes*	*-*	*-*
Chassis:	*Galvanised steel*	*Galvanised steel*	*Galvanised steel*	*Galvanised steel*	*Galvanised steel*
Cutting width:	*53 cm*	*53 cm*	*48 cm*	*48 cm*	*48 cm*
Cutting height adjustment:	*6 pos. 22-95 mm*	*6 pos. 22-95 mm*	*6 pos. 22-95 mm*	*6 pos. 22-95 mm*	*6 pos. 22-95 mm*
Cutting system:	*4 in 1*	*4 in 1*	*4 in 1*	*4 in 1*	*4 in 1*
Collection volume:	*75 litres*	*75 litres*	*75 litres*	*75 litres*	*75 litres*
Weight:	*53 kg*	*52 kg*	*47 kg*	*51 kg*	*50 kg*

	Turbo Excel 55 S H BBC
Engine:	*Honda GCV 190 OHC Autochoke*
Self-propelled:	*Rear wheel drive*
Anti-vibration:	*-*
Chassis:	*Galvanised steel*
Cutting width:	*53 cm*
Cutting height adjustment:	*6 pos. 22-95 mm*
Cutting system:	*4 in 1*
Collection volume:	*75 litres*
Weight:	*54 kg*

TURBO

Anti-Vibration System (AVS)
Prevents vibrations to transmit from engine to handle, making the work more pleasant for the body.

Collector
The lawn is completely clear of grass clippings. Cutting and collection occurs in one step. Collects up to 80 litres.

Blade Brake Clutch
In normal cases the engine stops when the handle is released, but with the blade brake clutch (BBC) only the rotation of the knives is stopped.

Cleaning
Hose connector for simple tidying under the hood.

Quiet and powerful engine
Select an engine to suit your needs.

4 in 1 cutting system
The options are considerable due to the four different cutting methods in the same machine. The four different cutting functions are – Multiclip, collection, side discharge or rear discharge.

Better grip
The rear wheels are slightly larger for better grip and balance.

STIGA TURBO

MOST SUITABLE FOR:

For those who want to collect the clippings. Robust design. Powerful, energy efficient engines. Easy and versatile to use with three (or four) cutting methods in one machine.

Turbo Pro 55 4S

Turbo 53 S BW Plus H

Turbo 41 El

	Turbo Pro 55 4S	**Turbo 55 S Rental B**	**Turbo 53 S BW Plus H**	**Turbo 53 S BW Plus B**	**Turbo 50 S Rental H**
Engine:	Honda GCV 190 OHC Autochoke	Briggs & Stratton 750 series DOV	Honda GCV 190 OHC Autochoke	Briggs & Stratton 675 series XVS Ready start	Honda GCV 160 OHC Autochoke
Self-propelled:	Rear wheel drive, 4 speed	Rear wheel drive	Rear wheel drive	Rear wheel drive	Rear wheel drive
Anti-vibration:	Yes	-	-	-	-
Chassis:	Aluminium	Aluminium	Galvanised steel	Galvanised steel	Aluminium
Cutting width:	53 cm	53 cm	51 cm	51 cm	48 cm
Cutting height adjustment:	9 pos. 30-80 mm	9 pos. 30-80 mm	6 pos. 25-90 mm	6 pos. 25-90 mm	9 pos. 30-80 mm
Collection volume:	70 litres	70 litres	60 litres	60 litres	70 litres
Weight:	41 kg	43 kg	39 kg	38 kg	37 kg

	Turbo 50 S Rental B	**Turbo 48 S BW Plus H**	**Turbo 48 Plus H**	**Turbo 48 S BW Plus B**	**Turbo 48 Plus B**
Engine:	Briggs & Stratton 675 series XVS Ready start	Honda GCV 160 OHC Autochoke	Honda GCV 135 OHC	Briggs & Stratton 625 series XVS	Briggs & Stratton 550 series XMH
Self-propelled:	Rear wheel drive	Rear wheel drive	Push	Rear wheel drive	Push
Chassis:	Aluminium	Galvanised steel	Galvanised steel	Galvanised steel	Galvanised steel
Cutting width:	48 cm	46 cm	46 cm	46 cm	46 cm
Cutting height adjustment:	9 pos. 20-70 mm	6 pos. 25-90 mm	6 pos. 25-75 mm	6 pos. 25-90 mm	6 pos. 25-75 mm
Collection volume:	70 litres	60 litres	60 litres	60 litres	60 litres
Weight:	35.5 kg	35 kg	31 kg	36 kg	30.5 kg

	Turbo 41 El	**Turbo 39 El**	**Freeclip**	**Handyclip**
Output:	1600 W	1500 W	Manual cylinder mowers	Manual cylinder mowers
Chassis:	Polypropylene	Polypropylene	Aluminium	Steel
Cutting width:	39 cm	37 cm	38 cm	40 cm
Cutting height adjustment:	5 pos. 21-60 mm	5 pos. 18-60 mm	Stepless 15-50 mm	Stepless 15-32 mm
Collection volume:	45 litres	40 litres	Implements	Implements
Weight:	17.3 kg	16 kg	13.5 kg	8.5 kg

Hand helds

A range of power tools for all-round use. Made to keep the garden clean and tidy. The common denominator is that they sit well in the hand and are easy to use.

EFFICIENT TOOLS

Does its job – and does it well. Whether it is airing grass roots, loosening up the soil, turning garden waste into peat or just keeping the garden clean and tidy.

EASY-TO-HANDLE

Ergonomics is, as we see it, when you customize the tool for the person and not the other way around. Therefore, we make sure that you always have a good grip, that all control functions are easily accessible and there is the possibility of relief using harnesses etc.

WELL BALANCED

The relationship between weight and engine power is important. You know when you grab the chain saw that it is correctly balanced. Grass trimmers and brush cutters have harnesses that relieve the load from the body. The blower pistol grip makes it easy to direct air flow where you want it. The hedge trimmer is designed to be held above your head and to reach the top of high hedges.

POWERFUL

In golf they say that the club should do the work. Here the muscles are in the engine. Each machine is designed to follow the person's natural patterns of motion. All so that the job can be done with the minimum of effort.

How to get more done on the garden – with less strain!

See the entire product program incl. technical specifications on our website.

www.stiga.com

BRUSH CUTTERS & GRASSTRIMMERS

Easy to handle with bicycle handle or loop handle. Well balanced and comfy, even during prolonged work. All our trimmers have a tap'n'go function, which feeds the line out automatically when you push the trimmer head towards the ground. Brush cutters have three or four toothed blades to clear brushwood and coarse bush. The four-strokes combine low weight and low vibrations with low fuel consumption and good efficiency, great from an environmental view. Harness included as standard on all brush cutters.

SB 43 DS

ST 425 HJ

	SB 51 DS	SB 43 DS	SB 35 S/SB 35 DS	SB 29 S/SB 29 DS
Cylinder volume/output:	47.1 cc (2.0 kW)	42.7 cc (1.40 kW)	32.6 cc (1.10 kW)	25.6 cc (0.90 kW)
Harness:	Double comfort	Double comfort	Single / double	Single
Handle:	Bike	Bike	Loop / bike	Loop / bike
Shaft:	28 mm	28 mm	26 mm	24 mm
Trimmer head:	Tap & Go	Tap & Go	Tap & Go	Tap & Go
Blade:	4 toothed + saw blade	4 toothed + saw blade	4 toothed	3 toothed
Weight with nylon head:	9.1 kg	9.0 kg	7.2 / 7.9 kg	5.6 / 6.0 kg

	SB 435 H/SB 435 HD	SB 425 H/SB 425 HD	ST 425 HJ	BJ 345 D	BJ 335/BJ 335 D
Cylinder volume/output:	35 cc (1.20 kW)	25 cc (0.80 kW)	25 cc (0.80 kW)	42.7 cc (1.30 kW)	32.6 cc (0.90 kW)
Harness:	Single / double	Single	Single	Double	Single / double
Handle:	Loop / bike	Loop / bike	Loop	Bike	Loop / bike
Shaft:	26 mm	26 mm	26 mm, curved, jointable	26 mm	26 mm
Trimmer head:	Tap & Go	Tap & Go	Tap & Go	Tap & Go	Tap & Go
Blade:	4 toothed	3 toothed	-	4 toothed	4 toothed
Weight with nylon head:	9.7 / 10.6 kg	7.2 / 7.9 kg	5.8 kg	8.5 kg	6.8 / 7.75 kg

	BJ 325/BJ 325 D	SB 34/SB 34 D	SB 26 J/SB 26 JD	ST 26 J
Cylinder volume/output:	25.4 cc (0.70 kW)	32.6 cc (0.90 kW)	25.4 cc (0.70 kW)	25.4 cc (0.70 kW)
Harness:	Single	Single / double	Single / Double	Single
Handle:	Loop / bike	Loop / bike	Loop / bike	Loop
Shaft:	26 mm	26 mm	26 mm, jointable	26 mm, curved, jointable
Trimmer head:	Tap & Go	Tap & Go	Tap & Go	Tap & Go
Blade:	3 toothed	3 toothed	3 toothed	-
Weight with nylon head:	5.35 / 6.25 kg	7.3 / 7.5 kg	6.5 / 6.7 kg	5.8 kg

Our "Easy start" system allows to reduce the recoil pulling force and make the pulling operations smoother thanks to the damper spring.

By admitting fresh air during combustion we save fuel and increase the service life time and performance of the engine.



Easy Start makes it really easy to start the machine.

Bike handlebar or loop handle. Choose the most comfortable.

Neat edges. Easy to hold along borders between grass and gravel, stones and flowerbeds.

ELECTRIC GRASS TRIMMERS

ST 1100

SGT 350

SGT 2220 A

	ESB 1000 J	***ST 1100***	***ST 750***	***SGT 600***	***SGT 350***	***SGT 2220 A***
Power source:	*Electric, 230 V*	*Electric, 230 V*	*Electric, 230 V*	*Electric, 230 V*	*Electric, 230 V*	*Lithium ION battery*
Output:	*1000 W*	*1100 W*	*700 W*	*600 W*	*350 W*	*20 V/1,5 Ah*
Handle:	*Loop*	*Loop*	*Loop*	*Loop*	*Loop*	*Loop*
Shaft:	*25 mm, jointable*	*26 mm, curved*	*25 mm, curved*	*28 mm, telescopic*	*Full plastic*	*28 mm, telescopic*
Trimmer head:	*Tap & Go*	*Tap & Go*	*Tap & Go*	*Tap & Go*	*Tap & Go*	*Tap & Go*
Blade:	*4 toothed*					
Working time:						*40 min.*
Weight with nylon head:	*6 kg*	*5 kg*	*5 kg*	*2.74 kg*	*1.96 kg*	*2.24 kg*

HEDGE TRIMMERS

Our goal is for you to be able to work safely, quickly and easily. Double or rotating handle gives an ergonomic work position. Double sided blade increases efficiency and range. Effective vibration damper reduces the load on arms and hands. The two-stroke engine can be held upside down, which gives a longer reach.

The combined trimmer and hedge trimmer SGS 60 LI in action – a smart little tool, used for trimming edges around the garden and shaping hedges.

SHM 170

SHT 600

SHT 4620 A

	SHM 180	***SHM 170***	***SHJ 550***	***SHT 600***	***SHT 500***
Power source:	*2 stroke mix*	*2 stroke mix*	*2 stroke mix*	*Electric, 230 V*	*Electric, 230 V*
Cylinder volume:	*25.4 cc*	*25.4 cc*	*24.5 cc*		
Output:	*0.80 kW, 1.10 hp*	*0.80 kW, 1.10 hp*	*0.85 kW, 1.16 hp*	*600 W*	*500 W*
Anti-vibration:	*Yes*	*Yes*	*Yes*		
Sword type:	*Single laser sanded*	*Double laser sanded*	*Double laser sanded*	*Double laser sanded*	*Double*
Sword length:	*75 cm*	*60 cm*	*61 cm*	*55 cm*	*45 cm*
Tooth distance:	*28 mm*	*28 mm*	*28 mm*	*20 mm*	*15 mm*
Mechanical brakes:	*Yes*	*Yes*	*Yes*		
Adjustable handle:	*No*	*180°*	*180°*	*Yes*	*Yes*
Weight:	*5.4 kg*	*5.7 kg*	*5.4 kg*	*3.4 kg*	*3.3 kg*

	SHT 4620 A	***SGS 60 LI***
Power source:	*Lithium ION battery*	*Lithium ION battery*
Output:	*20 V/1,5 Ah*	*3,6 V/1,1 Ah*
Sword length:	*46 cm*	*Hedge cutter 16 cm and grass cutter 8 cm*
Working time:	*40 min.*	*40 min.*
Weight:	*3.0 kg*	*540 g*

Our "Easy start" system allows to reduce the recoil pulling force and make the pulling operations smoother thanks to the damper spring.

CHAIN SAWS

Feel how it sits in your hand! Tighten the chain easily, without tools thanks to our Quick Tensioning System! Start it and feel how well we have succeeded in damping the vibrations! The harder you work the more important is to have good tools. Stiga, as always, combines innovative technology and excellent power with low weight and minimal impact on the individual and environment. It also includes our chain saw range, which for simplicity is divided into two categories.

Good power-to-weight ratio.

Chain tensioning without tools.

For multi-purpose use.

SP 442

Petrol powered chain saws for tree pruning, basic forest clearing etc. Extremely well balanced and excellent performance in relation to weight. Excellent anti-vibration and low kick-back so it is easy to handle, even for the untrained. With air filters that are easy to clean and chains that are easy to tighten, without special tools. As a rule, equipped with a primer to be easy to start.

SE 202 Q

Hobby saws for home use, suitable for carpentry and basic cutting of wood, etc. Range is determined by proximity to a power socket.

Petrol saws	***SP 522***	***SP 472***	***SP 442***	***SP 422***	***SP 382***
Cylinder volume:	*50.9 cc*	*48.7 cc*	*40.1 cc*	*40.1 cc*	*38.3 cc*
Output:	*2.3 kW, 3.1 hp*	*2.1 kW, 2.9 hp*	*1.8 kW, 2.5 hp*	*1.8 kW, 2.5 hp*	*1.7 kW, 2.3 hp*
Bar length, inch/cm:	*18"- 45 cm*	*16"- 40 cm*	*13"/18"- 33/45 cm*	*16"- 40 cm*	*14"/16"- 35/40 cm*
Chain type and drive link:	*.325" .058" (21BP-72E)*	*.325" .050" (95VP-66E)*	*.325" .050" (95VP-56E/72E)*	*.325" .050" (95VP-66E)*	*3/8" .050" (91VG-50/56E)*
Weight, excl. bar and chain:	*5.52 kg*	*5.3 kg*	*4.36 kg*	*4.36 kg*	*4.4 kg*

Petrol saws	***SP 400 / SP 400 Q****	***SP 350***	***SP 350 Q****	***SPR 270 C***	***SPR 270***
Cylinder volume:	*40 cc*	*35 cc*	*35 cc*	*25.4 cc*	*25.4 cc*
Output:	*1.6 kW, 2.2 hp*	*1.4 kW, 1.9 hp*	*1.4 kW, 1.9 hp*	*1.0 kW, 1.4 hp*	*1.0 kW, 1.4 hp*
Bar length, inch/cm:	*16"- 40 cm*	*14"/16"- 35/40 cm*	*14"- 35 cm*	*10"- 25 cm, carving*	*10"- 25 cm*
Chain type and drive link:	*3/8".050" (91PJ-56E)*	*3/8" .050" (91PJ-52E/56E)*	*3/8" .050" (91PJ-52E)*	*1/4" .050" (25AP-60E)*	*3/8" .050" (91VG-40E)*
Weight, excl. bar and chain:	*4.8 kg*	*4.7 kg*	*4.7 kg*	*2.9 kg*	*2.9 kg*

Electric saws	***SE 202 Q****	***SE 192***	***SE 200 / SE 200 Q****	***SE 182 / SE 182 Q****	***SE 180 / SE 180 Q****
Output:	*2000 W*	*1900 W*	*2000 W*	*1800 W*	*1800 W*
Bar length, inch/cm:	*16"- 40 cm*	*14"- 35 cm*	*16"- 40 cm*	*14"- 35 cm*	*14"- 35 cm*
Chain type and drive link:	*3/8" .050" (91VG-56E)*	*3/8" .050" (91VG-50E)*	*3/8" .050" (91VG-56E)*	*3/8" .050" (91VG-50E)*	*3/8" .050"(91PJO52X)*
Weight, excl. bar and chain:	*3.95 kg*	*3.95 kg*	*3.95 kg*	*3.95 kg*	*3.78 kg*

*Q*** = "Quick tensioning system" No tools required for chain tightening.*

Our "Easy start" system allows to reduce the recoil pulling force and make the pulling operations smoother thanks to the damper spring.

By admitting fresh air during combustion we save fuel and increase the service life time and performance of the engine.

Recycling

Compost grinders transform garden waste into bark. Scarifiers and lawn rakes keep the lawn in trim. Blowers facilitate autumn tidying. Feel free to browse the tools that allow you to recycle at home.

Recycling in reality

SPRING

Rotivate the earth in the vegetable patch and sow your seeds. Scarify the lawn of moss and fertilise to strengthen the grass.

AUTUMN

Harvest fruit and collect leaves. Use the blower – faster and easier than raking. Compost the leaves to obtain nourishing fertiliser for next season's vegetable garden.

SUMMER

Vertically cut the lawn to release oxygen into the grass roots so that they can grow shoots. Trim hedges and run clippings through the compost grinder and you have ground covering material for the borders.

WINTER

Prune the fruit trees and run the branches through the compost grinder and you have ground covering material for the borders.

More about recycling at home

See the entire product program incl. implements and technical specifications on our website.

www.stiga.com

SHREDDERS AND SCARIFIER

Recycling made easy. With shredders that turn garden waste into mulch.
And a scarifier that rejuvenates the lawn, providing oxygen to the grass roots.

Bio Quiet

Bio Power

BIO QUIET

Rotating roller with a reverse function that can cut larger branches.

BIO POWER

Double reversible blades with high rotational speed. Suitable for smaller branches and twigs.

VE 32

Shredders	Bio Quiet	Bio Power
Power source:	Electric, 230 V	Electric, 230 V
Output:	2100 W	2100 W
Zero current switch:	Yes	Yes
Blade type:	8-toothed rotating roller	Double reversible blades
Max. branch diameter:	45 mm	40 mm
Equipment:	Collector	Collector, feeder
Weight:	26 kg	19 kg

Scarifier	VE 32
Power source:	Electric, 230 V
Engine/output:	1500 W
Working width:	32 cm
Method:	Lawn rake, 12 rotating knives
Working depth:	5 positions
Collection volume:	40 litres
Weight:	20 kg

BLOWERS

The most effective way of keeping the garden clear of leaves and other debris. Time and energy saving. Now available as a back-pack model with insulated back plate, padded shoulder straps and adjustable pistol grip, for comfort and ease.

SBL 620 B

SBL 260 H

SBL 250 H

	SBL 620 B	***SBL 260 H***	***SBL 250 H***
Cylinder volume:	*62 cc*	*25.4 cc*	*22.5 cc*
Output:	*3.0 kW, 4.08 hp*	*0.75 kW, 1.02 hp*	*0.9 kW, 1.22 hp*
Average air volume flow:	*15.7 m³/min*	*7,8 m³/min*	*10 m³/min*
Air speed:	*87 m/s*	*28 m/s*	*67 m/s*
Equipment:		*Vacuum kit*	
Weight:	*8.5 kg*	*5.0 kg*	*4.04 kg*

ROTARY CULTIVATORS

A versatile and useful tool that saves a lot of effort in the garden plot. Used to loosen the soil before sowing, something that can injure the best of the backs. Can be supplemented with several implements that can be used to plough, dig potatoes, de-thatch, aerate the lawn or scarify moss.

Silex 103 B

Silex 75 R H

Silex 87 B

	Silex 103 B	***Silex 95 B / 95 H***	***Silex 75 R H / 75 R B***	***Silex 75 R G***	***Silex 50 R B***
Engine:	*Briggs & Stratton Intek OHV 6.5*	*Briggs & Stratton 675 series Honda GCV 160*	*Honda GC 160 Briggs & Stratton 800 series*	*Stiga OHV 182 TM 60*	*Briggs & Stratton 625 series*
Working width:	*60 cm*	*-*	*75 cm*	*75 cm*	*50 cm*
Transmission:	*Gears and chain*	*Worm gear in oil bath + drive belt*	*Chain in oil bath + drive belt*	*Chain in oil bath + drive belt*	*Worm gear in oil bath + drive belt*
Gears:	*2F+1R*	*1F+1R*	*1F+1R*	*1F+1R*	*1F+1R*
Weight with pack:	*78 kg*	*55 kg*	*50 kg*	*50 kg*	*41 kg*

	Silex 50 G / 50 H	***Silex 40 G / 40 R G***	***Silex 500 G / 500 R G***	***Silex 360 G***	***Sickle bar Silex 87 B***
Engine:	*Stiga OHV 160 OM 55 Honda GCV 135*	*Stiga SV 150 SV 40 Stiga OHV 160 OM 55*	*Stiga OHV 160 M 50 Stiga OHV 160 OM 55*	*Stiga SV 150 V 35*	*Briggs & Stratton 625 series*
Working width:	*50 cm*	*40 cm*	*50 cm*	*36 cm*	*87 cm*
Transmission:	*Worm gear in oil bath + drive belt*	*Worm gear in oil bath + drive belt*	*Worm gear in oil bath + drive belt*	*Worm gear in oil bath + drive belt*	*Worm gear in oil bath + drive belt*
Gears:	*1F*	*1F/1F+1R*	*1F/1F+1R*	*1F*	*1F*
Weight with pack:	*41 kg*	*29 kg*	*41 kg*	*25 kg*	*54 kg*

IMPLEMENTS FOR SILEX 95 AND 103

Front brush for Silex 95

Grassland mower for Silex 95

Double blade cutting bar for Silex 95

Snow blade for Silex 95

Ridging plough for Silex 95

Front brush 105 cm for Silex 95

Ridging plough for Silex 103

Rotavator for Silex 103

IMPLEMENTS FOR SILEX 75, 50, 40, 500 AND 360

Dethatcher

Adjustable spur

Rotavator 16 cm

Tyres

Adjustable ridging plough

Plough

Scarifier

Front mowers
PARK

	PRO 25 4WD	PRO 20 4WD	PRO 16 4WD	PRO SVAN 4WD	PRESTIGE 4WD	ROYAL 4WD	RANGER SVAN	PLUS	COMPACT 16 4WD
Engine									
Engine manufacturer	Honda	Briggs & Stratton	Briggs & Stratton	Honda	Briggs & Stratton	Honda	Honda	Briggs & Stratton	Briggs & Stratton
Engine type	GXV660	Vanguard 20	Vanguard 16	GXV 530	Intek 4185	GCV 530	GCV 530	Intek 4185	PowerBuilt 4155 AVS
Cylinders/kW (see page 62)	2/15.2	2/11.9	2/9.4	2/10.9	1/9.9	2/10.9	2/10.9	1/9.9	1/10.0
Electric starter	X	X	X	X	X	X	X	X	X
Fuel tank, litres	14	14	14	14	12	12	12	12	6
Transmission									
Four wheel drive	X	X	X	X	X	X			X
Rear wheel drive							X	X	
Hydrostatic transmission	KTM10	KTM10	KTM10	KTM10	KTM7	KTM7	KTM7	K46	KTM7
Max. driving speed, km/h	11	11	11	11	10	10	10	10	9
Axle diameter, front	1"	1"	1"	1"	1"	1"	20 mm	20 mm	1"
Axle diameter, rear	1"	1"	1"	1"	3/4"	3/4"	3/4"	3/4"	3/4"
Tyre size	17" wide	17" wide	17" wide	17" wide	16" wide	16" wide	16" wide	16" wide	16" wide
Tyre tread	Stiga special	Stiga special	Stiga special	Stiga special	Stiga special	Stiga special	Stiga special	Stiga special	Stiga special
Steering									
Genuine articulated steering	X	X	X	X	X	X	X	X	X
Power assisted steering	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Mechanical	Hydraulic	Hydraulic	Mechanical	Mechanical
Steering link	Chain/Chain	Chain/Chain	Chain/Chain	Chain/Chain	Chain/Chain	Chain/Chain	Chain/Chain	Chain/Chain	Chain/Wire
Steering ball	X	X	X	X	X	X	X	X	
Dimensions									
Cutting width, cm	95-125	95-125	95-125	95-125	95-110	95-110	95-110	95-110	95-105
Electric cutting height adjustment	X	X	X	X	X	X	X	X	
Foot operated deck lift			X		X	X	X	X	X
Hydraulic tool lift	X	X		X					
Comfort									
Prepared for cruise control	X**	X**	X**	X**					
Hour meter	X	X	X	X	X	X	X	X	
Lighting	LED	LED	LED	LED	LED	LED	LED	LED	
Adjustable steering wheel	X	X	X	X	X	X	X	X	
Folding comfort seat with drainage	Extra high	Extra high	Extra high	Extra high	High	High	High	High	High
Armrest	X	X		X					
Seat adjustment	Single lever control	Single lever control	Single lever control	Single lever control	Single lever control	Single lever control	Single lever control	Single lever control	X
Pivot seat suspension					X	X	X	X	X
Parallel seat suspension	X	X	X	X					
Cup holder	X	X	X	X	X	X	X	X	
Environment									
Certified in accordance with Svan				X		X	X		
CE marked	X	X	X	X	X	X	X	X	X
Soundpower level, dB (A)*	<100	<100	<100	<100	<100	<100	<100	<100	<100
Miscellaneous									
Weight, kg	252	245	226	241	211	200	200	192	198
Rear accessory wiring	X	X	X	X					
Main switch	X**	X**	X**	X**					
Item no.	13-6276-11	13-6273-16	13-6271-17	13-6272-26	13-6377-11	13-6312-11	13-6379-11	13-6311-11	13-6104-21

* May be lower depending on deck selection.
** Option
NOTE! Not all products may be available in all markets. Please check with your dealer.
Stiga has a policy of continuous improvement and reserves the right to change models and specification without prior notice.
No responsibility will be accepted for printing errors.

Front mowers
PARK

	COMPACT 16	COMPACT 14
	Briggs & Stratton	Briggs & Stratton
	PowerBuilt 4155 AVS	PowerBuilt 3130 AVS
	1/10	1/7.5
	X	X
	6	6
	X	X
	K46	K46
	9	9
	3/4"	3/4"
	3/4"	3/4"
	16" wide	16" wide
	Stiga special	Stiga special
	X	X
	Chain/Wire	Chain/Wire
	95-105	95
	X	X
	High	High
	X	X
	X	X
	X	X
	<100	<100
	172	164
	13-6103-21	13-6102-21

Front mowers
VILLA/PRIMO

	VILLA SILENT	VILLA 14 HST	VILLA 12 HST	VILLA 12	PRIMO
Engine					
Engine manufacturer	Honda	Briggs & Stratton	Briggs & Stratton	Briggs & Stratton	STIGA
Engine type	GXV 390	PowerBuilt 3130 AVS	PowerBuilt 3115 AVS	PowerBuilt 3115 AVS	WM 7250
Cylinders/kW	1/7.4	1/7.5	1/7.3	1/7.3	1/7.1
Electric starter	X	X	X	X	X
Fuel tank, litres	3.8	3.8	3.8	3.8	3.6
Transmission					
Front wheel drive	X	X	X	X	
Rear wheel drive					X
Manual transmission/no. of gears				5F+1R	3F+1R
Hydrostatic transmission	K46	K46	K46		
Max. driving speed, km/h	9	9	9	9	7.5
Axle diameter, front	3/4"	3/4"	3/4"	3/4"	20 mm
Tyre size, front	16"	16"	16"	16"	13"
Tyre size, rear	13"	13"	13"	13"	13"
Tyre tread	Stiga special	Stiga special	Stiga special	Stiga special	Stiga special
Steering					
Rear wheel steering	X	X	X	X	X
Steering link	Wire/wire	Wire/wire	Wire/wire	Wire/wire	Wire/wire
Steering ball	X	X			
Dimensions					
Cutting width, cm	85-105	85-105	85	85	78
Manual cutting height adjustment		X	X	X	X
Electric cutting height adjustment	X				
Foot operated deck lift	X	X	X	X	X
Comfort					
Adjustable steering wheel	X	X			
Folding comfort seat with drainage	High	High	X	X	
Seat adjustment	X	X	X	X	X
Progressive seat suspension	X	X	X	X	
Cup holder					X
Environment					
CE marked	X	X	X	X	X
Soundpower level, dB (A)*	<100	<100	<100	<100	<100
Miscellaneous					
Weight, kg	171	171	171	168	135
Item no.	13-2728-14	13-2718-14	13-2729-15	13-2717-15	13-2411-13

* May be lower depending on deck selection.

Cutting decks

	125 COMBI PRO	110 COMBI PRO	100 COMBI 3	105 COMBI	95 COMBI	85 COMBI
Multiclip	X	X	X	X	X	X
Rear discharge	X	X	X	X	X	X
Cutting height, mm	25-90	25-90	25-85	25-85	25-85	25-85
Cutting height, setting	Manual/Electric	Manual/Electric	Manual/Electric	Manual/Electric	Manual/Electric	Manual
Adjustable angle	X	X	X	X	X	X
Freely rotating blades	X	X	X			
Synchronised blades				X	X	X
Blade tips with shear bolts				X	X	X
Pivot wheels	X	X	X			
Protective tubular steel frame	X	X	X			
Park	X	X	X	X	X	
Villa				X	X	X
Item no. Park (manual)	13-2938-43	13-2931-44	13-2977-31	13-2972-34	13-2964-34	
Item no. Park (electric)	13-2941-43	13-2932-44	13-2978-31	13-2974-34	13-2967-34	
Item no. Villa (manual)				13-2970-14	13-2963-14	13-2960-14
Item no. Villa (electric)				13-2970-04	13-2965-14	

Lawn tractors
ESTATE

	GRAND OVERLAND PRO 25 4WD E	ROYAL PRO 17	GRAND TORNADO PRO HST 17	TORNADO PRO HST 13	SENATOR PRO HST 17	GRAND OVERLAND 24 4WD	GRAND OVERLAND 24E
Engine							
Engine manufacturer	Honda	Honda	Honda	Honda	Honda	Briggs & Stratton	Briggs & Stratton
Engine type	GXV 660	GCV 530	GCV 530	GXV 390	GCV 530	Intek 8240	Intek 8240
Cylinders/kW	2/13.9	2/12.4	2/10.0	1/7.0	2/9.4	2/13.6	2/13.6
Electric starter	X	X	X	X	X	X	X
Transmission							
Four wheel drive	X					X	
Rear wheel drive		X	X	X	X		X
Manual transmission/no. of gears							
Hydrostatic transmission	X	X	X	X	X	X	X
Max. driving speed, km/h	8.8	8.8	8.8	8.8	8.8	8.8	8.8
Tyres front	16"	15"	15"	15"	15"	16"	16"
Tyres rear	20"	18"	18"	18"	18"	20"	20"
Dimensions							
Cutting width, cm	122	102	108	98	92	122	122
Number of cutting heights	9	7	7	7	7	9	9
Cutting height interval, mm	25-100	30-90	25-80	25-80	25-80	25-100	25-100
Equipment							
Cruise control	X	X				X	X
Integrated collection	X	X			X	X	X
Collector volume, litres	360	320			260	360	360
Mulching kit	X	X	X	X	X	X	X
Discharge	Rear	Rear	Side	Side	Rear	Rear	Rear
Tipping seat	X	X	X	X	X	X	X
Bumper	X	X	X	X	X	X	X
Electromagnetic blade clutch	X	X	X	X	X	X	X
Dashboard	6 LED and display	6 LED and display			6 LED	6 LED and display	6 LED and display
Warning, collector full	X	X			X	X	X
Electronic grass bag dump	X						X
Lighting	X	X	X	X	X	X	X
Cup holder	X	X	X	X		X	X
Miscellaneous							
CE marked	X	X	X	X	X	X	X
Soundpower level, dB (A)	<105	<100	<100	<100	<100	<105	<105
Battery charger	X	X	X	X	X	X	X
Weight, kg	300	256	169	160	200	302	284
Item no.	2T1525381/11	2T0930381/11	2T1210381/11	2T0611381/11	2T0441381/11	2T1525281/10	2T1515281/11

Gross power rating is labeled in accordance with SAE J1940 - Small Engine Power and Torque Rating Procedure - and Gross performance values have been obtained and corrected in accordance with SAE J1995 Engine power test code - Gross Power rating. Net performance values have been obtained and corrected in accordance with SAE J1349 Engine Power Test Code – Net Power Rating. Actual gross and/or net engine powers will be lower and are affected by, among other things, ambient operating conditions and engine-to-engine variability. Given both the wide array of products on which engines are placed and the variety of environmental issues applicable to operating the equipment, the engine will not develop the rated gross and/or net powers when used in a given piece of power equipment. This difference is due to a variety of factors including, but not limited to, implements (air cleaner, exhaust, charging, cooling, carburetor, fuel pump, etc.), application limitations, ambient operating conditions (temperature, humidity, altitude), and engine-to-engine variability. GGP reserves the right at any time to change the product specifications, designs and standard equipment without notice and without incurring obligation.

NOTE! Not all products may be available in all markets. Please check with your dealer. Stiga has a policy of continuous improvement and reserves the right to change models and specification without prior notice.
No responsibility will be accepted for printing errors.

OVERLAND 22 4WD	GRAND ROYAL 22	ROYAL 19	GRAND TORNADO HST 19	GRAND TORNADO 17	TORNADO HST 17	TORNADO 14	SENATOR HST 17	SENATOR 14
Briggs & Stratton	Briggs & Stratton	Briggs & Stratton	Briggs & Stratton	Briggs & Stratton	Briggs & Stratton	Briggs & Stratton	Briggs & Stratton	Briggs & Stratton
Intek 7220	Intek 7220	Intek 4185 AVS	Power Built 4185 AVS	Power Built 4165 AVS	Power Built 4165 AVS	Power Built 3130 AVS	Power Built 4165 AVS	Power Built 3130 AVS
2/10.4	2/11.9	1/8.6	1/9.3	1/9.4	1/9.4	1/6.8	1/8.9	1/6.3
X	X	X	X	X	X	X	X	X
X								
	X	X	X	X	X	X	X	X
				5F+1R		5F+1R		5F+1R
X	X	X	X		X		X	
8.8	8.8	8.8	8.8	9.7	8.8	9.7	8.8	9.7
16"	15"	15"	15"	15"	15"	15"	15"	15"
20"	18"	18"	18"	18"	18"	18"	18"	18"
102	122	102	108	108	98	98	92	92
9	9	7	7	7	7	7	7	7
25-100	25-100	30-90	25-80	25-80	25-80	25-80	25-80	25-80
X	X	X						
X	X	X					X	X
360	320	320					260	260
X	X	X	X	X	X	X	X	X
Rear	Rear	Rear	Side	Side	Side	Side	Rear	Rear
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X		
X	X	X	X	X	X	X	X	X
6 LED and display	6 LED and display	6 LED and display					6 LED	6 LED
X	X	X					X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X		
X	X	X	X	X	X	X	X	X
<100	<105	<100	<100	<100	<100	<100	<100	<100
X	X	X	X	X	X	X	X	X
279	247	239	172	170	172	159	200	186
2T1425281/11	2T1310281/11	2T0950281/11	2T1220281/11	2T1110281/11	2T0630281/11	2T0520281/11	2T0430281/10	2T0320281/10

Lawn tractors
GARDEN

	COMBI PRO HST 13	COMBI HST 14	COMPACT PRO EV
Engine			
Engine manufacturer	Honda	Briggs & Stratton	Honda
Engine type	GXV 390	PowerBuilt 3130 AVS	GCV 190 E Electric start
Cylinders/kW	1/7.0	1/6.8	1/3.8
Electric starter	X	X	X
Transmission			
Rear wheel drive	X	X	X
Manual transmission/no. of gears			Variator
Hydrostatic transmission	X	X	
Tyres front	11"	11"	11"
Tyres rear	15"	15"	13"
Dimensions			
Cutting width, cm	72	72	63
Number of cutting heights	7	7	5
Cutting height area, mm	30-80	30-80	30-75
Equipment			
Integrated collection	X	X	X
Collector volume, litres	170	170	140
Multiclip kit	X	X	X
Discharge	Rear	Rear	Rear
Tipping seat	X	X	X
Seat with safety contact breaker	X	X	X
Dashboard	1 LED	1 LED	
Blade brake	X	X	X
Parking brake	X	X	X
Miscellaneous			
CE marked	X	X	X
Soundpower level, dB (A)	<100	<100	<98
Battery charger	X	X	X
Weight, kg	168	168	103
Item no.	2T0210381/10	2T0220281/10	2T0030381/11

Lawn mowers
MULTICLIP

	PRO 53 S SVAN	PRO 53 4S SVAN
Engine		
Engine manufacturer	Honda	Honda
Engine type	GCV 160 OHC with autochoke	GCV 190 OHC with autochoke
Cutting facts		
Multiclip	X	X
Cutting width, cm	51	51
Cutting height, setting	Central	Central
Cutting height, mm	30-65	30-65
Number of cutting heights	5	5
Comfort		
Self-propelled	Front wheel drive	Front wheel drive, 4 speed
Electric starter		
Vibration damping	X	X
Handle with adjustable height	X	X
Handle with lateral adjustment	X	X
Folding handle	X	X
Carrying handle	X	X
Environment		
Certified in accordance with Svan	X	X
Soundpower level, dB (A)	<93	<93
Powder coated	X	X
Miscellaneous		
Chassis	Aluminium	Aluminium
Wheels	Aluminium	Aluminium
Wheel bearings	Professional double ball bearings	Professional double ball bearings
20 year chassis guarantee*	X	X
Weight, kg	35.5	37.7
Item no.	293532038/ST9	293533038 /S10

* 20 year chassis guarantee on all aluminium mowers means that the aluminium chassis will be replaced with a new chassis (or corresponding replacement at Stiga's discretion) if cracks.
NOTE! Not all products may be available in all markets. Please check with your dealer.
Stiga has a policy of continuous improvement and reserves the right to change models and specification without prior notice.
No responsibility will be accepted for printing errors.

	PRO 50 SVAN	***PRO 50 S SVAN***	***PRO 50 4S INOX SVAN***	***50 RENTAL B***	***50 S RENTAL B***	***50 SE RENTAL B***	***53 S RENTAL B***	***50 S SPECIAL B***	***50 S H***
	Honda	Honda	Honda	Briggs & Stratton	Briggs & Stratton	Briggs & Stratton	Briggs & Stratton	Briggs & Stratton	Honda
	GCV 160 OHC with autochoke	GCV 160 OHC with autochoke	GCV 160 OHC with autochoke	625 XVS	625 XVS	675 XVS Ready start, Electric start	750 DOV	675 XVS Ready start	GCV 135 OHC
	X	X	X	X	X	X	X	X	X
	48	48	48	48	48	48	51	48	48
	Central	Central	Central	Central	Central	Central	Central	Central	Central
	31-75	31-75	31-75	31-75	31-75	31-75	30-65	31-75	31-75
	5	5	5	5	5	5	5	5	5
	Push	Front wheel drive	Front wheel drive, 4 speed	Push	Front wheel drive	Front wheel drive	Front wheel drive	Front wheel drive	Front wheel drive
						X			
	X	X	X	X	X				
	X	X	X	X	X	X	X	X	X
	X	X	X	X	X	X	X	X	X
	X	X	X	X	X	X	X	X	X
	X	X	X	X	X	X	X	X	X
	X	X	X						X
	<91	<91	<91	<92	<92	<95	<95	<95	<92
	X	X		X	X	X	X	X	X
	Galvanised steel	Galvanised steel	Stainless steel	Galvanised steel	Galvanised steel	Galvanised steel	Aluminium	Galvanised steel	Galvanised steel
	Aluminium	Aluminium	Aluminium	Composite	Composite	Composite	Aluminium	Aluminium	Composite
	Professional double ball bearings	Professional double ball bearings	Professional double ball bearings	Double ball bearings	Double ball bearings	Double ball bearings	Professional double ball bearings	Double ball bearings	Double ball bearings
							X		
	33.2	35.2	34.8	33.7	36.5	37.3	37	38.7	34.7
	291501038/S11	291502038/S11	291563038/S11	291501021/S11	291502021/S11	291502521/S11	293532021/S11	291502121/S10	291502031/ST9

Lawn mowers
TURBO

	EXCEL 55 S B	EXCEL 55 S H BBC/AVS	EXCEL 50 S H AVS	EXCEL 50 S B	EXCEL 50 SE B
Engine					
Engine manufacturer	Briggs & Stratton	Honda	Honda	Briggs & Stratton	Briggs & Stratton
Engine type	750 DOV	GCV 190 OHC with autochoke	GCV 160 OHC with autochoke	675 XVS Ready start	675 XVS Ready start
Cutting facts					
Multiclip	X	X	X	X	X
Collecting	X	X	X	X	X
Rear discharge	X	X	X	X	X
Side discharge	X	X	X	X	X
Blade brake clutch		X/-			
Cutting width, cm	53	53	48	48	48
Cutting height setting	Central	Central	Central	Central	Central
Cutting height, mm	22-95	22-95	22-95	22-95	22-95
Number of cutting heights	6	6	6	6	6
Comfort					
Self-propelled	Rear wheel drive	Rear wheel drive	Rear wheel drive	Rear wheel drive	Rear wheel drive
Electric starter					X
Vibration damping		-/X	X		
Collector, litre/type	75 / Plastic and fabric	75 / Plastic and fabric	75 / Plastic and fabric	75 / Plastic and fabric	75 / Plastic and fabric
Handle with adjustable height	X	X	X	X	X
Folding handle	X	X	X	X	X
Environment					
Soundpower level, dB (A)	<98	<98	<96	<96	<96
Powder coated	X	X	X	X	X
Miscellaneous					
Chassis	Galvanised steel	Galvanised steel	Galvanised steel	Galvanised steel	Galvanised steel
Wheels	Composite wide pattern	Composite wide pattern	Composite wide pattern	Composite wide pattern	Composite wide pattern
Wheel bearings	Double ball bearings	Double ball bearings	Double ball bearings	Double ball bearings	Double ball bearings
20 year chassis guarantee*					
Weight, kg	52	54 53	47	50	51
Item no.	290556021/S11	290558031/S10 290556031/S11	290506031/S10	290506021/S11	290506521/S11

* 20 year chassis guarantee on all aluminium mowers means that the aluminium chassis will be replaced with a new chassis (or corresponding replacement at Stiga's discretion) if cracks.
NOTE! Not all products may be available in all markets. Please check with your dealer.
Stiga has a policy of continuous improvement and reserves the right to change models and specification without prior notice.
No responsibility will be accepted for printing errors.

PRO 55 4S	***55 S RENTAL B***	***53 S BW PLUS B/H***	***50 S RENTAL B/H***	***48 S BW PLUS B/H***	***48 PLUS B/H***
Honda	Briggs & Stratton	Briggs & Stratton Honda	Briggs & Stratton Honda	Briggs & Stratton Honda	Briggs & Stratton Honda
GCV 190 OHC with autochoke	750 DOV	675 XVS R.S (B) / GCV 190 OHC with autochoke (H)	675 XVS R.S (B) / GCV 160 OHC with autochoke (H)	625 XVS (B) / GCV 160 OHC with autochoke (H)	550 XMH (B) / GCV135 OHC (H)
X	X	X	X	X	X
X	X	X	X	X	X
X	X	X	X	X	X
53	53	51	48	46	46
Central	Central	Central	Central	Central	Central
30-80	30-80	25-90	20-70	25-90	25-75
9	9	6	9	6	6
Rear wheel drive, 4 speeds	Rear wheel drive	Rear wheel drive	Rear wheel drive	Rear wheel drive	Push
X					
70 / Plastic and fabric	70 / Plastic and fabric	60 / Plastic and fabric	70 / Plastic and fabric	60 / Plastic and fabric	60 / Plastic and fabric
X	X	X	X	X	X
X	X	X	X	X	X
<98	<98	<98	<96	<96	<96
X	X	X	X	X	X
Aluminium	Aluminium	Galvanised steel	Aluminium	Galvanised steel	Galvanised steel
Aluminium	Aluminium	Composite	Composite (B) Aluminium (H)	Composite	Composite
Professional double ball bearings	Professional double ball bearings	Double ball bearings	Professional double ball bearings	Double ball bearings	Double ball bearings
X	X		X		
41	43	38 39	35.5 37	36 35	30.5 31
292553038/S10	292552021/S11	299536021/S11 299536031/S11	292502021/ST9 292502031/S11	299486021/S11 299486031/S11	299481021/S11 299481031/S11

Lawn mowers
TURBO

	41 EL	39 EL
Output		
Electric	1600 W	1500 W
Cutting facts		
Multiclip		
Collecting	X	X
Rear discharge	X	X
Blade brake clutch		
Cutting width, cm	39	37
Cutting height, setting	Central	Central
Cutting height, mm	21-60	18-60
Number of cutting heights	5	5
Comfort		
Self-propelled	Push	Push
Collector, litre/type	45 / Plastic and fabric	40 / Plastic and fabric
Handle with adjustable height	X	X
Folding handle	X	X
Environment		
Soundpower level, dB (A)	<93	<93
Powder coated		
Miscellaneous		
Chassis	PP	PP
Wheels	PP	PP
Wheel bearings	Double ball bearings	Double ball bearings
20 year chassis guarantee*		
Weight, kg	17.3	16
Item no.	294410661/ST9	297591651/ST9

Lawn mowers
FREECLIP

	FREECLIP	HANDYCLIP
Cutting facts		
Discharge	Cylinder	Cylinder
Cutting width, cm	38	40
Setting cutting height on each wheel.	X	X
Cutting height, mm	15-50	15-32
Number of cutting heights	Stepless	Stepless
Environment		
Soundpower level, dB (A)	<64	<92
Powder coated	X	X
Miscellaneous		
Chassis	Aluminium	Steel
Wheels	Aluminium	Nylon
Wheel bearings	Ball bearings	
Weight, kg	13.5	8.5
Item no.	290381001/ST9	290401001/ST9

* 20 year chassis guarantee on all aluminium mowers means that the aluminium chassis will be replaced with a new chassis (or corresponding replacement at Stiga's discretion) if cracks.
NOTE! Not all products may be available in all markets. Please check with your dealer.
Stiga has a policy of continuous improvement and reserves the right to change models and specification without prior notice.
No responsibility will be accepted for printing errors.

Hand helds

BRUSH CUTTERS & GRASS TRIMMERS

	SB 51 DS	*SB 43 DS*	*SB 35 S*	*SB 35 DS*	*SB 29 S*	*SB 29 DS*	*SB 435 H*	*SB 435 HD*
Power source	2 stroke mix	2 stroke mix	2 stroke mix	2 stroke mix	2 stroke mix	2 stroke mix	4-stroke petrol	4-stroke petrol
Cylinder volume, cc	47.1	42.7	32.6	32.6	25.6	25.6	35	35
Output (kW/hp)	2.0/2.72	1.40/1.90	1.10/1.50	1.10/1.50	0.90/1.22	0.90/1.22	1.20/1.60	1.20/1.60
2 line Tap & Go	X	X	X	X	X	X	X	X
Cutting width, cm	40	40	40	40	40	40	40	40
Standard blade	4 toothed	4 toothed	4 toothed	4 toothed	3 toothed	3 toothed	4 toothed	4 toothed
Chisel toothed saw blade	X	X	Option	Option	-	-	Option	Option
Shaft	28 mm	28 mm	26 mm	26 mm	24 mm	24 mm	26 mm	26 mm
Anti-vibration shaft	X	X	X	X	X	X	X	X
Harness	Double comfort	Double comfort	Single	Double	Single	Single	Single	Double
Weight with nylon head, kg	9.1	9.0	7.2	7.9	5.6	6.0	9.7	10.6
Item no.	281721002/09	281621002/09	281520002/09	281521002/09	281420002/09	281421002/09	281340002/08	281341002/08

	SB 425 H	*SB 425 HD*	*ST 425 HJ*	*BJ 345 D*	*BJ 335 / BJ 335 D*	*BJ 325 / BJ 325 D*	*SB 34 / SB 34 D*	*SB 26 J / SB 26 JD*	*ST 26 J*
Power source	4-stroke petrol	4-stroke petrol	4-stroke petrol	2 stroke mix	2 stroke mix	2 stroke mix	2 stroke mix	2 stroke mix	2 stroke mix
Cylinder volume, cc	25	25	25	42.7	32.6	25.4	32.6	25.4	25.4
Output (kW/hp)	0.80/1.10	0.80/1.10	0.80/1.10	1.30/1.80	0.90/1.22	0.70/0.95	0.90/1.22	0.70/0.95	0.70/0.95
2 line Tap & Go	X	X	X	X	X	X	X	X	X
Cutting width, cm	40	40	40	40	40	40	42	42	42
Standard blade	3 toothed	3 toothed	-	4 toothed	4 toothed	3 toothed	3 toothed	3 toothed	-
Chisel toothed saw blade	Option	Option	-	Option	-	-	-	-	-
Shaft	26 mm	26 mm	26 mm curved jointable	26 mm	26 mm	26 mm	26 mm	26 mm jointable	26 mm curved jointable
Anti-vibration shaft	X	X	X	-	-	-		-	-
Harness	Single	Single	Single	Double	Single / Double	Single / Double	Single / Double	Single / Double	Single
Weight with nylon head, kg	7.2	7.9	5.8	8.5	6.8 / 7.75	5.35 / 6.25	7.3 / 7.5	6.5 / 6.7	5.8
Item no.	281240002/08	281241002/08	281210102/08	285421002/10	285320002/09 285321002/09	285220002/09 285221002/09	280820002/10 280821002/10	280720102/10 280721102/10	280710102/10

ELECTRIC GRASS TRIMMERS

	ESB 1000 J	*ST 1100*	*ST 750*	*SGT 600*	*SGT 350*	*SGT 2220 A*
Power source	Electric, 230 V	Electric, 230 V	Electric, 230 V	Electric, 230 V	Electric, 230 V	Lithium ION battery
Output	1000 W	1100 W	700 W	600 W	350 W	20 V/1,5 Ah
2 line Tap & Go	X	X	X	X	X	X
Cutting width, cm	30	34	40	30	24	22
Standard blade	4 toothed	-	-	-	-	-
Shaft	25 mm, jointable	26 mm, curved	25 mm, curved	28 mm telescopic	full plastic	28 mm telescopic
Harness	Single	Single	-	-	-	-
Weight with nylon head, kg	6.0	5.0	5.0	2.74	1.96	2.24
Working time (battery)						40 min.
Re-charging (battery)						3-5 hours
Item no.	291820102/06	291800002/06	291830002/06	252060002/11	252035002/11	252102002/11

Hand helds

HEDGE TRIMMERS

	SHJ 550	SHM 180	SHM 170	SHT 600	SHT 500	SHT 4620 A	SGS 60 LI
Power source	2-stroke mix	2-stroke mix	2-stroke mix	Electric, 230 V	Electric, 230 V	Lithium ION battery	Lithium ION battery
Cylinder volume, cc	24.5	25.4	25.4				
Output	0.85 kW / 1.16 hp	0.80 kW / 1.10 hp	0.80 kW / 1.10 hp	600 W	500 W	20 V/1,5 Ah	3,6 V/1,1 Ah
Blade length, cm	61	75	60	55	45	46	16 and 8
Max branch diameter, mm	28	28	28	20	15	16	
Synchronised blades	X	X	X	X			
Hardened, surface-ground blade	X	X	X	X		X	X
Laser cut		X	X	X		X	
2-stage gear	X	X	X			X	
Overload protection				X	X		
Twin rear switches				X	X	X	
Vibration-damped handle	X	X	X	X	X	-	X
Rear adjustable handle	3 positions	-	5 positions	5 positions	5 positions	5 positions	
Working time						40 min.	40 min.
Recharging time						3-5 hours	5 hours
Weight	5.4 kg	5.4 kg	5.7 kg	3.4 kg	3.3 kg	3.0 kg	540 g
Item no.	252900002/10	251475002/09	251460002/09	256060002/11	256050002/11	256102002/11	253036002/09

PETROL SAWS

	SP 522	SP 472	SP 442	SP 422	SP 382	SP 400 / SP 400 Q	SP 350 / SP 350 Q	SPR 270 C	SPR 270
Cylinder volume, cc	50.9	48.7	40.1	40.1	38.3	40	35	25.4	25.4
Engine output (kW/hp)	2.3/3.1	2.1/2.9	1.8/2.5	1.8/2.5	1.7/2.3	1.6/2.2	1.4/1.9	1.0/1.4	1.0/1.4
Bar length, inch/cm	18"/45	16"/40	13"/33 18"/45	16"/40	14"/35 16"/40	16"/40	14"/35 (SP 350) 16"/40 (SP 350) 14"/35 (SP 350 Q)	10"/25	10"/25
Bar and chain type	.325" .058"	.325" .050"	.325" .050"	.325" .050"	3/8" .050"	3/8" .050"	3/8" .050"	1/4" .050"	3/8" .050"
Chain type and drivelinks	21BP-72E	95VP-66E	95VP-56E 95VP-72E	95VP-66E	91VG-50/56E	91PJ-56E	91PJ-52E 91PJ-56E 91PJ-52E	25AP-60E	91VG-40E
Sword with chain wheel	X	X	X	X	X	X	X		X
Primer pump		X	X		X	X	X	X	X
Decompression valve	X								
Easy Clean Air filter	X	X	X	X	X	X	X	X	X
Side chain tensioning			X	X				X	X
Adjustable oil pump			X	X				X	X
Weight without bar and chain, kg	5.52	5.3	4.36	4.36	4.4	4.8	4.7	2.9	2.9
Item no.	224318002/08	224116002/08	223813002/09 223818002/08	223716002/08	223514002/08 223516002/08	222116002/09 222116102/09	222014002/09 222016002/09 222014102/09	223010102/06	223010002/06

ELECTRIC SAWS

	SE 202 Q	SE 192	SE 200 / SE 200 Q	SE 182 / SE 182 Q	SE 180 / SE 180 Q
Engine output, watt	2000	1900	2000	1800	1800
Bar length, inch/cm	16"/40	14"/35	16"/40	14"/35	14"/35
Bar and chain type	3/8" .050"	3/8" .050"	3/8" .050"	3/8" .050"	3/8" .050"
Chain type and drive links	91VG-56E	91VG-50E	91VG-56E	91VG-50E	91PJO52X
Sprocket nose bar	X	X	X	X	X
Chain tensioning without tools	X	-	-/X	-/X	-/X
Mechanical chain brake	X	X	X	X	X
Oil level indicator	X	X	X	X	X
Weight without bar and chain, kg	3.95	3.95	3.95	3.95	3,78
Item no.	293016102/08	293014002/08	292916062/09 292916162/09	292914052/09 292914152/09	292614002/11 292614102/11

Hand helds

SHREDDERS

	BIO QUIET	BIO POWER
Power source	230 V	230 V
Output	2100 W	2100 W
Zero current switch	X	X
Cutting method	Roller type	Blade plate
Reversible blades		X
Capacity, mm	45	40
Feeder		X
Collector included	X	X
Reverse function	X	
Soundpower level, dB (A)	<89	<104
Weight, kg	26	19
Item no.	17-2663-12	17-2720-11

BLOWERS

	SBL 620 B	SBL 260 H	SBL 250 H
Power source	2-stroke mix	2-stroke mix	2-stroke mix
Cylinder volume, cc	62	25.4	22.5
Output kW/hp	3/4.08	0.75/1.02	0.9/1.22
Average air volume flow	15.7 m^3/min	7.8 m^3/min	10 m^3/min
Maximum air velocity	87 m/s	28 m/s	67 m/s
Weight, kg	8.5	5.0	4.04
Item no.	255062002/06	255026002/10	255025002/06

SCARIFIER

	VE 32
Power source	Electric, 230 V
Output	1500 W
Working width, cm	32
Type of knives and material	Rotating, steel
Number of knives	12
Working depth	5 positions
Transporting position	X
Type of wheels	Plastic
Type of bearing	Plastic
Soundpower level, dB (A)	<87
Collector volume, litres	40
Weight, kg	20
Item no.	26-2525-12

ROTARY CULTIVATORS

	SILEX 103 B	SILEX 95 B	SILEX 95 H	SILEX 75 R B SILEX 75 R H	SILEX 75 RG
Engine manufacturer	B & S	B & S	Honda	B&S Honda	STIGA
Engine type	Intek OHV 6.5	Series 675	GCV 160	Series 800 GC 160	TM 60
Working width, cm	60			75	75
Transmission	2F+1R	1F+1R	1F+1R	1F+1R	1F+1R
Adjustable handle	In height	In height and reversible	In height and reversible	In height	In height
Transport wheels	Pneumatic drive wheels	Pneumatic drive wheels	Pneumatic drive wheels	Front	Front
Weight with pack, kg	78	55	55	50	50
Item no.	210310022/10	219510022/10	219510032/10	217510022/08 217510032/08	217510042/10

ROTARY CULTIVATORS

	SILEX 50 RB	SILEX 50 G SILEX 50 H	SILEX 40 G SILEX 40 R G	SILEX 500 G SILEX 500 R G	SILEX 360 G
Engine manufacturer	B & S	STIGA Honda	STIGA	STIGA	STIGA
Engine type	Series 625	OHV 160 OM55 GCV 135	SV 40 OHV 160 OM55	OHV 160 M50 OHV 160 OM55	SV 150 V 35
Working width, cm	50	50	40	50	36
Transmission	1F+1R	1F	1F/ 1F+1R	1F/ 1F+1R	1F
Adjustable handle	In height + sideways	In height + sideways	In height	In height + sideways	In height
Transport wheels	Rear	Rear	Rear	Front	Front
Weight with pack, kg	41	41	29	41	25
Item no.	215010022/08	216000042/08 215000032/08	214000042/08 214010042/09	215000042/08 215010042/08	213600042/08

SICKLE BAR

	SILEX 87 B
Engine manufacturer	B & S
Engine type	Series 625
Working width, cm	87
Transmission	1F
Adjustable handle	In height
Transport wheels	Semi-pneumatic drive wheels
Weight with pack, kg	54
Item no.	210870022/09

GGP Sweden AB
Box 1006
SE-573 28 Tranås
www.stiga.com